



Oct 06, 2025

**BEN HILL COUNTY**

402 E PINE ST  
FITZGERALD  
Georgia  
31750

**RE: Quote 292897-02**

Dear Sir,

Yancey Bros. is happy to provide the attached quotation for equipment based on our discussion and your requirements. Please review this carefully to ensure that all necessary items are accounted for. I am available should any questions arise.

Caterpillar, Inc. Model: 140JOY4 MotorGraders

**MACHINE SPECIFICATIONS**

|  |          |
|--|----------|
| 140 15B MOTOR GRADER                       | 577-3021 |
| LANE 2 - AVAILABLE FROM PIRACICABA FACTORY |          |
| LANE 3 - AVAILABLE FROM PIRACICABA FACTORY |          |
| Also Available CHILE & COLOMBIA            |          |
| CANNOT BE USED WITH: EURDLR/TURDLR DEALERS |          |
| LANE 2 ORDER                               | 0P-9002  |
| GLOBAL ARRANGEMENT                         | 385-9294 |
| MOLDBOARD, 14' BASIC                       | 243-6703 |
| TOP ADJUST DRAWBAR                         | 657-8163 |
| HITCH, TOWING                              | 337-7510 |
| WEATHER, STANDARD                          | 353-3316 |
| LINES, W/O ACCUMULATOR                     | 305-2927 |
| PRECLEANER, NON SY-KLONE                   | 380-6774 |
| CUTTING EDGE, 14' BLADE                    | 233-7143 |
| END BITS, STANDARD                         | 233-7148 |
| ENGINE, TIER IV                            | 567-4685 |
| DRAIN, GRAVITY, ENGINE OIL                 | 324-5328 |
| BASE + 1 (FL)                              | 309-9848 |
| STARTER, ELEC, EXTREME DUTY                | 395-3547 |

|                                |          |
|--------------------------------|----------|
| LIGHTS, ARM, FOLD DOWN         | 536-9969 |
| HEADLIGHTS,FRONT, LOW, HALOGEN | 308-9370 |
| LIGHTS, ROADING, HALOGEN       | 421-7810 |
| CAB, PLUS (STANDARD GLASS)     | 385-9554 |
| CAB, PLUS (INTERIOR)           | 397-7457 |
| SEAT BELT, W/INDICATOR         | 385-8717 |
| PRODUCT LINK, DUAL PLE783      | 647-9137 |
| NO CAT GRADE TOP ADJUST        | 585-3097 |
| CONTROL,AUTO ARTICULATION-DEMO | 483-2354 |
| JOYSTICK CONTROLS, BASIC       | 357-9151 |
| TANK, FUEL, STANDARD           | 540-2373 |
| FAN, STANDARD, TND             | 542-4660 |
| TIRES,14.0R24 MX XGLA2 * G2 MP | 252-0679 |
| SERIALIZED TECHNICAL MEDIA KIT | 421-8926 |
| DECALS, ENGLISH (U.S.)         | 442-9940 |
| LIGHTS, WORKING, BASIC,HALOGEN | 395-1966 |
| LIGHTS, SERVICE, INTERNAL      | 380-3070 |
| REAR CAMERA INTEGRATED DISPLAY | 641-6876 |
| MIRRORS, OUTSIDE MOUNTED       | 233-3295 |
| GUARD GP, HITCH                | 323-6970 |
| CIRCLE SAVER                   | 521-3250 |
| LIFT GROUP, MANUAL 1.5" ANSI   | 605-2098 |
| LIFT GROUP, FRONT MOUNTING     | 359-3925 |
| ROLL ON-ROLL OFF               | 0P-2265  |
| STORAGE PROTECTION             | 0P-2918  |
| COOLANT, 50/50, -35C (-31F)    | 469-8157 |
| FUEL ANTIFREEZE, -25C (-13F)   | 0P-3978  |
| SCARIFIER, FRONT V-TYPE 1.5HPL | 212-6231 |

## Standard Equipment

### POWERTRAIN

Air cleaner, dual stage dry type radial seal with service indicator and automatic dust ejector  
 Air-to-air after cooler (ATAAC)  
 Belt, serpentine, automatic tensioner  
 Brakes, oil disc, four-wheel, hydraulic  
 Demand fan, hydraulic  
 Differential, lock/unlock, Auto  
 Drain, engine oil, ecology

Electronic over-speed protection  
 Parking brake, multi-disc, sealed and oil cooled.  
 Sediment drain, fuel tank.  
 Transmission, 8 speed forward and 6 speed reverse, power shift, direct drive  
 VHP Plus (Variable Horse Power Plus)

### ELECTRICAL

Alarm, back-up  
 Alternator, 150 ampere, sealed  
 Batteries, maintenance free, heavy duty, 1125 CCA

Grade Control Ready (Cab harness, software, electrical hydraulic valves, bosses and brackets)  
 Lights, reversing

Breaker panel, ground accessible  
Electrical hydraulic valves  
Electrical system, 24V

Lights, roading, roof-mounted,  
stop and tail, LED  
Starter, electric

## OPERATOR ENVIRONMENT

Air Conditioning with heater  
Articulation, automatic return to center  
Centershift pin indicator  
Display, digital speed and gear  
Doors, left and right side with wiper  
Gauge, machine level  
Gauges (digital) inside the cab  
(includes fuel, articulation, engine  
coolant temp, engine RPM,  
and hydraulic oil temp, DEF/AdBlue)  
Joystick, adjustable armrests  
Joystick gear selection, hydraulic  
power steering hydraulic controls  
(right/left, blade lift w/ float  
position, blade sideshift and tip,  
circle drive, centershift, front wheel  
lean and articulation and steering)  
Lights, night time cab

10" Digital operator information system  
Meter, hour, digital  
Mirror, inside rearview, wide angle  
Power port, 12V  
Radio ready, entertainment  
ROPS cab, sound suppressed  
- 69dB(A) - ISO 6394  
Seat, cloth-covered, comfort suspension  
Storage area for cooler/lunchbox  
Throttle control, electronic  
Windows laminated glass:  
- Fixed front with intermittent wiper  
- Door with intermittent wipers (3)  
Windows tempered:  
- Left and right side wipers  
- Rear with intermittent wiper  
Cab storage

## TECHNOLOGY PRODUCTS

### RADIOS

Authorization varies by country,  
please contact your Cat marketing  
representative with questions or  
click on the link below:  
[https://dealer.cat.com/en/products/  
technology.html](https://dealer.cat.com/en/products/technology.html)

### PRODUCT LINK

Availability varies by country,  
please contact your Cat marketing  
representative with questions or  
click on the link below:  
<https://dealer.cat.com/pl/certification>

## SAFETY AND SECURITY

Clutch, circle drive slip  
Doors, 2 engine compartment, (two left  
hand, two right hand) locking  
Doors, 2 service, left and right locking  
Ground level engine shutdown  
Hammer (emergency exit)

Horn, electric  
Lockout, hydraulic implement (for  
roading and servicing)  
Seat belt, retractable 76.2 (3")  
Secondary steering  
Tandem walkway/guards

## TIRES, RIMS, AND WHEELS

A partial allowance for tires on  
254mm x 609.6mm (10" x 24") multi-piece

rims is included in the base machine  
price and weight.

## FLUIDS

Antifreeze

Extended life coolant -35C/-30F

## OTHER STANDARD EQUIPMENT

Accumulators -brake -dual certified  
Fluid check, ground level  
Fuel tank, 398 liters (105 gallon)  
Ground level fueling  
DEF/AdBlue Tank, 21 liters (5.5 gallon)  
Hydraulic lines for base functions  
Pump, hydraulic, high capacity

(98cc / 15 cu in)  
Radiator, cleanout access  
(both sides with swing doors)  
SOS ports - engine -hydraulic  
-transmission -coolant -fuel  
Tool box  
Debris guard

---

|                          |                |
|--------------------------|----------------|
| SELL PRICE               | 311,482        |
| EXT WARRANTY             | Included       |
| <b>NET BALANCE DUE</b>   | <b>311,482</b> |
| <b>TOTAL QUOTE PRICE</b> | <b>311,482</b> |

---

**WARRANTY**

Standard Warranty: 12 months/unlimited hours

Extended Warranty: 140\_NEW-84 MO/6500 HR PREMIER, 140\_NEW-12 MO/8760 HR PREMIER

**F.O.B/TERMS:**

Accepted by \_\_\_\_\_ on \_\_\_\_\_

\_\_\_\_\_  
**Signature**

We wish to thank you for the opportunity of quoting on your equipment needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

Paul McSwain  
Machine Sales Representative

